

# TECHNICAL DATA SHEET

**EU-GB** 

Peter Kwasny GmbH, Heilbronner Strasse 96, 74831 Gundelsheim / Deutschland Telefon: +49 (0) 06269-95-0; Fax: +49 (0) 6269-95-80 internet: www.kwasny.de e-mail info@kwasny.de

Aqua Silicone Remover

Prod. No. 680 094

**TECHNOLOGY** 

### SprayMax<sup>®</sup>







- Spray pattern like a spray gun
- High productivity
- Easy application
- Constant atomization pressure during the total application process
- Finest aerosol dispersion
- Professional paint result

**PRODUCT** 

Water-based and solvent-reduced cleanser with a high cleaning and degreasing capacity. High productivity, smooth dispersion.

#### FIELD OF APPLICATION

Recommended for::

Support for parts refinishing and spot repair

Suitable substrates:

- primed surfaces
- metal, plastics, glass
- old paint work,
- coated and uncoated surfaces

#### **PROCESSING**

Protections:



Protective gloves, e.g. from latex or nitrile

Spray passes



- Spray 1 light spray pass directly before you apply the next lacquer coat and wipe it immediately using a clean, dry cloth.
- Only clean small areas in parallel.
- In case of strong contamination repeat the



## **TECHNICAL DATA SHEET**

cleaning process.

• Don't use contaminated clothes. Change the clothes more often.

Finish:



When work is finished, reverse aerosol and spray valve empty

Disposal: The emptied aerosols are suitable for household

collection.

#### **CHARACTERISTICS**

Basis of raw material: Special detergents

Solid content: n/a

VOC value: < 820 g/l

Coverage: 0.75 – 1 m<sup>2</sup>/spray can

Degree of gloss: n/a

Shelf life: 12 months

The description of the shelf life refers to an unused can being stored appropriately at a temperature of 15 to 25 °C and a relative humidity beneath 60%. Keep the can dry. It should stored and transported uprightly being protected from chemical and mechanical impacts. The safety instructions on the label and all legal regulations concerning the

storage location have to be observed.

Remarks For professional use only

SprayMax® is a registered trade mark of the Peter Kwasny Group.

The information contained in this paper corresponds to our present knowledge and is a guide to our products and their uses. It is not to be understood as a guarantee for certain properties of our products or of their specific applications. The warnings printed on our labels must be respected. Any industrial property rights should be observed.

Prod.-No. 680 094 Version 08/2012 page 2 of 2